

SFARROWBUTTON

**** This class will not be supported in 2015.**

All functionalities of `SfArrowButton` class are more improved, integrating with CAPH. Therefore `SfArrowButton` class is not supported since 2015 Smart TV. To use functions of `SfArrowButton` class, refer to [here](#).

This is the A class for ArrowButton UI.

Add the following line for `SfArrowButton` class into a html file your own :

```
<script type="text/javascript" src="$MANAGER_WIDGET/Common/af/2.0.0/loader.js"></script>
```

You can declare `SfArrowButton` class like this :

```
ex) $('#div ID').sfArrowButton('method Name', parm1, parm2);
```

Contents

Methods

[blur](#)
[down](#)
[focus](#)
[getText](#)
[left](#)
[right](#)
[setText](#)
[up](#)

Methods

blur	
Description	
This function removes focus from current arrow button.	
Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None
Example	
<pre>\$('#arrowbutton1').sfArrowButton('blur');</pre>	

down

Description

This function changes the inner text of current arrow button when user press down arrow button.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

Example

```
$("#arrowbutton"+this.iArrowBtn).sfArrowButton('down');
```

focus

Description

This function sets focus on the arrow button.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

Example

```
$("#arrowbutton'+(this.iArrowBtn==0?0:1)).sfArrowButton('focus');
```

getText

Description

This function gets inner text of arrow button.

Parameters	none
Return	■String - Text in the button
Emulator Support	N
SDK Constraint	None

Example

```
var txt = $('#btn1').sfArrowButton('getText');
```

left

Description

This function changes the inner text of current arrow button when user press left arrow button.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

Example

```
$('#btn1').sfArrowButton('left');
```

right

Description

This function changes the inner text of current arrow button when user press right arrow button.

Parameters	none
------------	------

Return	■Void
--------	-------

Emulator Support	N
------------------	---

SDK Constraint	None
----------------	------

Example

```
$('#btn1').sfArrowButton('right');
```

setText

Description

This function sets inner text of arrow button.

Parameters	■text - String - Text to set in the button.
------------	---

Return	■Void
--------	-------

Emulator Support	N
------------------	---

SDK Constraint	None
----------------	------

Example

```
$('#btn1').sfArrowButton('setText', 'Button1');
```

up

Description

This function changes the inner text of current arrow button when user press up arrow button.

Parameters	none
------------	------

Return	■Void
--------	-------

Emulator Support	N
------------------	---

SDK Constraint	None
----------------	------

Example

```
$("#arrowbutton"+this.iArrowBtn).sfArrowButton('up');
```