

# SFTEXTLIST

**\*\* This class will not be supported in 2015.**

All functionalities of `sfTextList` class are more improved, integrating with CAPH. Therefore `sfTextList` class is not supported since 2015 Smart TV. To use functions of `sfTextList` class, refer to [here](#).

This is the class for TextList UI components.

Add the following line for `sfTextList` class into a html file your own :

```
<script type="text/javascript" src="$MANAGER_WIDGET/Common/af/2.0.0/loader.js" ></script >
```

You can declare `sfTextList` class like this :

```
ex) $('#div ID').sfTextList('method Name', parm1, parm2);
```

## Contents

### Methods

- `addItem`
- `blur`
- `clear`
- `focus`
- `getIndex`
- `getItem`
- `getSelected`
- `getSelectedIds`
- `next`
- `prev`
- `refresh`
- `removeItem`
- `selectAll`
- `selectItem`
- `toggleItem`
- `unselectAll`
- `unselectItem`

## Methods

### addItem

Description

This function adds text item.

Parameters	<div> <div>■</div> <div>item</div> </div> <ul style="list-style-type: none"> <li>- Object</li> <li>- item to add</li> </ul>
Return	<div> <div>■</div> <div>Void</div> </div>
Emulator Support	N
SDK Constraint	None
Example	
<pre>\$( '#list' ).sfTextList( 'addItem', { text: 'new item' } );</pre>	
<b>blur</b>	
Description	
This function removes focus.	
Parameters	<div> <div>none</div> </div>
Return	<div> <div>■</div> <div>Void</div> </div>
Emulator Support	N
SDK Constraint	None
Example	
<pre>\$( '#list' ).sfTextList( 'blur' );</pre>	
<b>clear</b>	
Description	
This function clears all text.	
Parameters	<div> <div>none</div> </div>
Return	<div> <div>■</div> <div>Void</div> </div>
Emulator Support	N
SDK Constraint	None
Example	
<pre>\$( '#list' ).sfTextList( 'clear' );</pre>	
<b>focus</b>	
Description	
This function sets focus.	
Parameters	<div> <div>none</div> </div>
Return	<div> <div>■</div> <div>Void</div> </div>
Emulator Support	N
SDK Constraint	None
Example	
<pre>\$( '#list' ).sfTextList( 'focus' );</pre>	
<b>getIndex</b>	
Description	

This function gets text index of focused text.	
Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None
Example	
var idx = \$('#list').sfTextList('getIndex');	

## getItem

Description	
This function gets inner text of focused text.	
Parameters	■index - Number - Index of item to return. Current index if omitted.
Return	■Void
Emulator Support	N
SDK Constraint	None
Example	
var itemObj = \$('#list').sfTextList('getItem'); // gets current item object	

## getSelected

Description	
This function gets selected items.	
Parameters	none
Return	■Array - Array of selected items or selected item if radiobox is used
Emulator Support	N
SDK Constraint	None
Example	
var aSelectedItems = \$('#list').sfTextList('getSelected'); // gets selected item array (of object)	

## getSelectedIds

Description	
This function gets the IDs of selected items.	
Parameters	none
Return	■Array - Array containing indexes of selected items or index of selected item if radio mode
Emulator Support	N
SDK Constraint	None
Example	
var indexes = \$('#List').sfTextList("getSelectedIds");	

## next

### Description

This function moves the focus to next item.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("next");
```

## prev

### Description

This function moves the focus to previous item.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("prev");
```

## refresh

### Description

This function refreshes the item.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("refresh");
```

## removeItem

### Description

This function removes the item.

Parameters	■index - Number - index of item to remove.
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("removeItem", 3); // removes 4th item
```

## selectAll

### Description

This function selects all items.

Parameters	none
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("selectAll");
```

## selectItem

### Description

This function selects the item.

Parameters	■index - Number - index of item to select.
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("selectItem", 3); // selects 4th item
```

## toggleItem

### Description

This function toggles the item.

Parameters	■index - Number - index of item to toggle selection.
Return	■Void
Emulator Support	N
SDK Constraint	None

### Example

```
$("#List").sfTextList("toggleItem", 3); // toggle the 4th item's selection
```

## unselectAll

### Description

This function unselects all items.

Parameters	none
Return	■Void
Emulator Support	N

SDK Constraint	None
Example	
<code>\$("#List").sfTextList("unselectAll");</code>	
<b>unselectItem</b>	
Description	
This function unselects the item.	
Parameters	<div> <div>■</div> <div>index</div> <div>- Number</div> <div>- index of item to remove selection.</div> </div>
Return	<div> <div>■</div> <div>Void</div> </div>
Emulator Support	N
SDK Constraint	None
Example	
<code>\$("#List").sfTextList("unselectItem", 3); // remove selection of the 4th item</code>	