

MEDIASHARING.MEDIAPROVIDERDISCOVERYCALLBACK

This class defines methods that are called when a new media provider is discovered or an existing media provider is disappeared.

Add the following line for mediasharing.MediaProviderDiscoveryCallback class into a html file your own :

```
<script type="text/javascript" src="$MANAGER_WIDGET/Common/webapi/1.0/serviceapis.js"></script>
```

You can declare mediasharing.MediaProviderDiscoveryCallback class like this :

```
ex) var mediasharing = serviceapis.mediasharing.MediaProviderDiscoveryCallback;
```

Contents

Methods

[onmediaprovideradded](#)

[onmediaproviderremoved](#)

Methods

onmediaprovideradded

Description

This Callback is called when a new media provider discovered. *MediaProviderDiscoveryCallback □□□

Parameters	■Mediaprovider - (in MediaProvider) newly discovered mediaprovider
------------	---

Return	■Void
--------	-------

Emulator Support	Y
------------------	---

SDK Constraint	None
----------------	------

Example

.

onmediaproviderremoved

Description

This Callback called when an existing media provider disappeared. *MediaProviderDiscoveryCallback □□□

Parameters	■Mediaprovider - (in MediaProvider) currently disappeared mediaprovider
------------	--

Return	■Void
--------	-------

Emulator Support	Y
SDK Constraint	None
Example	
.	